🕼 kleinanzeigen

ADVERTISING-SPECIFICATION

mobile.xd Halfpage Ad

Contact: mobile.xd Advertising, Ad & Account Management, E-Mail: werbemittel@advertising.mobile.de

Status: 11th September 2024 mobile.de Advertising - mobile.de GmbH, Albert-Einstein-Ring 26, 14532 Kleinmachnow




mobile.de

Ad:	Halfpage Ad
Format:	AdServer Redirect, Image physical (JPEG, GIF, PNG, recommended in 2x pixel density)
Size:	300x600
Weight:	 Redirects: max. 200 KB Initialload / max. 2,5 MB Subload Image physisch: max. 200 KB
Requirements:	 The Redirect/ Tag must contain a placeholder for our click tracking.Redirects must have a placeholder for our click tracking macro, physical HTML5 ads require either a click command or a direct destination URL (in this case no own click count possible). SSL compatibility: All components of an ad must be HTTPS compatible.
Optional:	3rd party tracking such as tracking pixels or viewability pixels or scripts
Motive:	All components of the ad must be HTTPS compatible.Standard is one motif per booked placement. In the case of motif splits, a maximum limit of three motifs per placement must be taken into account and one motif change per week is permitted for physical delivery. Behind an AdServer Redirect there can be any number of motifs and can be changed as often as desired.
Streaming:	 Only as a 3rd party, as video has to be followed Different video versions should be stored behind the video, which are played depending on the available bandwidth of the user Max 2.5 MB may be reloaded Hosting of the Videso is taken over by the advertiser
Sound:	Yes / Sound may only start on user interaction (click). An on/off button must be present.
HTML5 Note:	-/-

Page 2

mobile.de ADVERTISING



Showroom Link

Status: 11th September 2024

